



DAKOTA
Living

RE-IMAGINE OUTDOOR LIVING



Imaginative and stylish solutions

Dakota Living offers an extensive range of high-quality and stylish products made entirely from wood-plastic composite (WPC). Our decking, edgeboards, fencing and cladding products are made in Europe to the highest quality standards.

All of our WPC products are made for Nordic climates using 60% wood, 30% plastic and 10% additives to provide a natural wood appearance along with exceptional durability and performance. Manufacturing takes place in a ISO9001-2015 certified factory.

Authentic wooden look - enjoy the beauty of natural wood without the drawbacks.

Superior supports - our all aluminum support beams (with pedestal adjustment) will not twist, rust or decay thereby offering great stability and ease of installation.

Exceptional durability - resistant to weathering, warping, and surface separation.

Minimal maintenance - no oiling, staining, or slippery surfaces, even in wet conditions.

Cost efficient - long lasting performance reduces lifetime maintenance costs.

Bespoke finish - custom graining and production is available for larger projects.

We can supply decking boards in standard 4.2m or 2m lengths.

The advantages of 2m length decking boards

- Lighter and easier to handle. Boards will fit into standard lifts and stairwells allowing easier access to roof decks.
- Lower delivery costs - will fit into most standard cars.
- Enables installation with matching end and side gaps between planks for neater looking finishes.

Expansion gaps

Ensure correct expansion gaps are left at the joints dependant on the outdoor installation temperature. Minimum recommended gaps are shown in the table below.

MINIMUM EXPANSION GAPS (mm)				
Installation temperature	Board length			
	1m	2m	3m	4.2m
10°C	2mm	4mm	6mm	8.4mm
20°C	1.5mm	3mm	4.5mm	6.3mm
25°C	1mm	2mm	3mm	4.2mm
30°C	0.5mm	1mm	1.5mm	2.1mm

Dakota Living redefines outdoor living and architectural design by providing modern, sustainable, safe, and hassle-free solutions.

Why choose Dakota Living WPC?

	Dakota Living WPC	Timber	Plastic
Natural look and feel	✓	✓	
Highly resistant	✓		✓
Low maintenance	✓		✓
Weatherproof	✓		✓
Non-slip	✓		
High strength and density	✓	✓	
Easy to install	✓	✓	
Insect resistant	✓		✓
Rot proof	✓		✓
Splinter free	✓		✓
Waterproof	✓		✓
Anti-reflective	✓	✓	✓
UV and colour stable	✓		✓
Eco friendly (recycled)	✓		✓
Surface treatment	✓	✓	✓

Fire rating - WPC products offer superior fire rating when compared to traditional timber. All of our products are rated Class C (EN 13501-1) with the exception of the GIGA SHIELD range which is rated Class D (EN 13501-1) due to the extra surface coating. WPC products with a Class B rating, if required, can be manufactured on request.



DECKING

GIGA SHIELD

Decking

2 colour options with each board

GIGA SHIELD is an extra wide 200mm new generation profile, fully encapsulated with a clear protective layer which prevents penetration of any dirt into the inner pores of the board. Particularly simple maintenance and long service life is ensured. The top surface encapsulation is made with virgin plastic.

Each board is double-sided, offering a choice of colours. Suitable for use in public areas and anywhere else where durability and stylish good looks are required. Used for decks, balconies, pathways, pergolas etc.

Colours: NATURE/TOBACCO and GREY/DARK GREY.

Available in lengths of 2,000mm or 4,200mm.



200mm x 25mm

WEIGHT: 3.8kg/m CONSUMPTION: 5m/m²



NATURE



TOBACCO



GREY



DARK GREY

Code	Product	mm	Pack size	Pallet
LV774/4200	GIGA SHIELD decking board - NATURE/TOBACCO	200 x 25 x 4,200	1 pc.	90 pcs.
LV774	GIGA SHIELD decking board - NATURE/TOBACCO	200 x 25 x 2,000	1 pc.	90 pcs.
LV773/4200	GIGA SHIELD decking board - GREY/DARK GREY	200 x 25 x 4,200	1 pc.	90 pcs.
LV773	GIGA SHIELD decking board - GREY/DARK GREY	200 x 25 x 2,000	1 pc.	90 pcs.

AVAILABLE IN
LENGTHS OF
2M OR 4.2M

GIGA SHIELD

Decking

Edgeboards

GIGA SHIELD edgeboards have one flat edge designed to be used for the first and last boards of the deck to provide a neat finish. They are also ideal for dressing edges, steps etc. The T-slot in the bottom of the board is designed for concealed fitting onto Dakota Living starter clips.



200mm x 25mm

Available in 4 colours: NATURE, TOBACCO, GREY and DARK GREY.

Available in lengths of 2,000mm or 4,200mm.



NATURE



TOBACCO



GREY



DARK GREY

Code	Product	mm	Pack size	Pallet
LV774/FN4200	GIGA SHIELD edgeboard - NATURE	200 x 25 x 4,200	1 pc.	85 pcs.
LV774/FT4200	GIGA SHIELD edgeboard - TOBACCO	200 x 25 x 4,200	1 pc.	85 pcs.
LV773/FG4200	GIGA SHIELD edgeboard - GREY	200 x 25 x 4,200	1 pc.	85 pcs.
LV773/FDG4200	GIGA SHIELD edgeboard - DARK GREY	200 x 25 x 4,200	1 pc.	85 pcs.
LV774/FN	GIGA SHIELD edgeboard - NATURE	200 x 25 x 2,000	1 pc.	85 pcs.
LV774/FT	GIGA SHIELD edgeboard - TOBACCO	200 x 25 x 2,000	1 pc.	85 pcs.
LV773/FG	GIGA SHIELD edgeboard - GREY	200 x 25 x 2,000	1 pc.	85 pcs.
LV773/FDG	GIGA SHIELD edgeboard - DARK GREY	200 x 25 x 2,000	1 pc.	85 pcs.





AVAILABLE IN
LENGTHS OF
2M OR 4.2M

LIGHT NEO

Decking

Available in 3 standard colours

LIGHT NEO is a hollow profile with a ribbed brushed surface with a good strength/weight/price ratio, making it the most popular decking board in our range.

Designed for double-sided use with different groove patterns for increased versatility and choice. Used for decks, balconies, pathways, pergolas etc.

Available in 3 colours: GOLD, BROWN and SMOKE.
(DARK GREY available by special order.)

Available in lengths of 2,000mm or 4,200mm.



150mm x 25mm

WEIGHT: 2.9kg/m CONSUMPTION: 6.5m/m²



GOLD



BROWN



SMOKE



DARK GREY
SPECIAL ORDER

Code	Product	mm	Pack size	Pallet
LV738/4200	LIGHT NEO decking board - GOLD	150 x 25 x 4,200	1 pc.	120 pcs.
LV739/4200	LIGHT NEO decking board - BROWN	150 x 25 x 4,200	1 pc.	120 pcs.
LV740/4200	LIGHT NEO decking board - SMOKE	150 x 25 x 4,200	1 pc.	120 pcs.
LV738	LIGHT NEO decking board - GOLD	150 x 25 x 2,000	1 pc.	120 pcs.
LV739	LIGHT NEO decking board - BROWN	150 x 25 x 2,000	1 pc.	120 pcs.
LV740	LIGHT NEO decking board - SMOKE	150 x 25 x 2,000	1 pc.	120 pcs.

LIGHT NEO

Decking

Edgeboards

LIGHT NEO edgeboards have one flat edge designed to be used for the first and last boards of the deck to provide a neat finish. They are also ideal for dressing edges, steps etc. The T-slot in the bottom of the board is designed for concealed fitting onto Dakota Living starter clips.

Available in 3 colours: GOLD, BROWN and SMOKE.
(DARK GREY available by special order.)

Available in lengths of 2,000mm or 4,200mm.



150mm x 25mm



GOLD



BROWN



SMOKE



DARK GREY (special order)

Code	Product	mm	Pack size	Pallet
LV738/F4200	LIGHT NEO edgeboard - GOLD	150 x 25 x 4,200	1 pc.	100 pcs.
LV739/F4200	LIGHT NEO edgeboard - BROWN	150 x 25 x 4,200	1 pc.	100 pcs.
LV740/F4200	LIGHT NEO edgeboard - SMOKE	150 x 25 x 4,200	1 pc.	100 pcs.
LV738F	LIGHT NEO edgeboard - GOLD	150 x 25 x 2,000	1 pc.	100 pcs.
LV739F	LIGHT NEO edgeboard - BROWN	150 x 25 x 2,000	1 pc.	100 pcs.
LV740F	LIGHT NEO edgeboard - SMOKE	150 x 25 x 2,000	1 pc.	100 pcs.



GOLD



BROWN



SMOKE



DARK GREY (special order)





SOLID CORE

Decking

Available in 3 colours

The **SOLID CORE** range offers elegant natural wood patterns on the surface with a wavy shaped solid profile for excellent support and stability to satisfy the demands for both public areas and domestic use.

A very popular choice for customers requiring solid boards with extra durability. Available in 3 colours: SIENNA, COCOA and MOON GREY.

Available in lengths of 2,000mm or 4,200mm.



150mm x 20mm

WEIGHT: 3.2kg/m CONSUMPTION: 6.5m/m²



SIENNA



COCOA



MOON GREY

Code	Product	mm	Pack size	Pallet
LV742/4200	SOLID CORE decking board - SIENNA	150 x 20 x 4,200	1 pc.	100 pcs.
LV741/4200	SOLID CORE decking board - COCOA	150 x 20 x 4,200	1 pc.	100 pcs.
LV743/4200	SOLID CORE decking board - MOON GREY	150 x 20 x 4,200	1 pc.	100 pcs.
LV742	SOLID CORE decking board - SIENNA	150 x 20 x 2,000	1 pc.	100 pcs.
LV741	SOLID CORE decking board - COCOA	150 x 20 x 2,000	1 pc.	100 pcs.
LV743	SOLID CORE decking board - MOON GREY	150 x 20 x 2,000	1 pc.	100 pcs.

SOLID CORE

Decking

Edgeboards

SOLID CORE edgeboards have one flat edge designed to be used for the first and last boards of the deck to provide a neat finish. They are also ideal for dressing edges, steps etc. The T- slot in the bottom of the board is designed for concealed fitting onto Dakota Living starter clips.

Available in 3 colours: SIENNA, COCOA and MOON GREY.



150mm x 20mm



SIENNA



COCOA



MOON GREY

Code	Product	mm	Pack size	Pallet
LV742/F4200	SOLID CORE edgeboard - SIENNA	150 x 20 x 4,200	1 pc.	100 pcs.
LV741/F4200	SOLID CORE edgeboard - COCOA	150 x 20 x 4,200	1 pc.	100 pcs.
LV743/F4200	SOLID CORE edgeboard - MOON GREY	150 x 20 x 4,200	1 pc.	100 pcs.
LV742/F	SOLID CORE edgeboard - SIENNA	150 x 20 x 2,000	1 pc.	100 pcs.
LV741/F	SOLID CORE edgeboard - COCOA	150 x 20 x 2,000	1 pc.	100 pcs.
LV743/F	SOLID CORE edgeboard - MOON GREY	150 x 20 x 2,000	1 pc.	100 pcs.



SIENNA



COCOA



MOON GREY



XTRA-PRO AVAILABLE BY SPECIAL ORDER

Decking

Available in 3 colours

XTRA-PRO is a strong, double-sided solid profile suitable for commercial installations. It's surface treatment is natural wood on one side and a smooth brushed finish on the other. Its qualities are suitable for public areas like outdoor decks for hotels, cafes, shopping centres, marinas etc.


Available in 3 colours: SIENNA, COCOA and MOON GREY.

Available in lengths of 2,000mm or 4,200mm.



150mm x 20mm

WEIGHT: 4.2kg/m CONSUMPTION: 6.5m/m²



Code	Product	mm	Pack size	Pallet
UKLV001/4200	XTRA-PRO decking board - SIENNA	150 x 25 x 4,200	1 pc.	80 pcs.
UKLV002/4200	XTRA-PRO decking board - COCOA	150 x 25 x 4,200	1 pc.	80 pcs.
UKLV003/4200	XTRA-PRO decking board - MOON GREY	150 x 25 x 4,200	1 pc.	80 pcs.
UKLV004	XTRA-PRO decking board - SIENNA	150 x 25 x 2,000	1 pc.	80 pcs.
UKLV005	XTRA-PRO decking board - COCOA	150 x 25 x 2,000	1 pc.	80 pcs.
UKLV006	XTRA-PRO decking board - MOON GREY	150 x 25 x 2,000	1 pc.	80 pcs.



SIENNA



COCOA



MOON GREY



XTRA-PRO AVAILABLE BY SPECIAL ORDER

Decking

Edgeboards

XTRA-PRO edgeboards have two flat sides designed to be used for the first and last boards of the deck to provide a neat finish. They are also ideal for dressing edges, steps etc. Designed for screw fitting.

Available in 3 colours: SIENNA, COCOA and MOON GREY.

Available in lengths of 2,000mm or 4,200mm.



78mm x 14mm



SIENNA



COCOA



MOON GREY

Code	Product	mm	Pack size	Pallet
UKLV007/4200	XTRA-PRO edgeboard - SIENNA	150 x 20 x 4,200	1 pc.	100 pcs.
UKLV008/4200	XTRA-PRO edgeboard - COCOA	150 x 20 x 4,200	1 pc.	100 pcs.
UKLV009/4200	XTRA-PRO edgeboard - MOON GREY	150 x 20 x 4,200	1 pc.	100 pcs.
UKLV010	XTRA-PRO edgeboard - SIENNA	150 x 20 x 2,000	1 pc.	100 pcs.
UKLV011	XTRA-PRO edgeboard - COCOA	150 x 20 x 2,000	1 pc.	100 pcs.
UKLV012	XTRA-PRO edgeboard - MOON GREY	150 x 20 x 2,000	1 pc.	100 pcs.





END CAP - GOLD



END CAP - BROWN



END CAP - SMOKE



STARTER CLIP

Stainless steel AISI 304 starting clip to install the terrace board.



FIXING CLIP

Stainless steel AISI 304 fixing clip to install the terrace board.



SELF DRILLING SCREWS

For attaching clips to aluminium joist systems 3.8 x 19mm.

Code	Product	mm	Pack size	Bag
LV795	End cap - GOLD	150 x 25	1 pc.	100
LV796	End cap - BROWN	150 x 25	1 pc.	100
LV797	End cap - SMOKE	150 x 25	1 pc.	100
UKLV042	Starter clip/plastic box	25 x 26 x 10	20 pcs.	-
UKLV043	Fixing clip/plastic box	40 x 30 x 10	50 pcs.	-
UKLV030	Self-drilling screws	3.8 x 19	200 pcs.	-



Key benefits of the Dakota Living decking range



100%
RECYCLABLE



ANTI-SLIP



NO NEED TO
OIL OR STAIN



SPLINTER-FREE



WEATHERPROOF



DEVELOPED FOR
NORDIC CLIMATE



EASY TO INSTALL

COST PER
SQUARE
METER

When planning a new deck it is important to consider the cost per square meter rather than the cost per board. The greater width and length of boards in our range means that fewer may be needed for your project. Remember to calculate the cost per square meter before making a purchase as another supplier's width may be narrower.

Sustainability - The wood fibers used throughout Dakota Living's WPC range is sourced from sustainable and recycled sources such as waste from furniture and plywood production as well as from sawmills. The plastic resin element of our WPC products is made from recycled HD-PE (high density polypropylene).

ALUMINIUM SUPPORT SYSTEMS

Our support rails are made of aluminium so they won't twist, rust or decay

KERADECK® 20

Decking Support System

for Dakota pedestals


PATENT
PENDING

KERADECK® 20 is a low profile aluminium joist support system for our decking products which is fully compatible with ARKIMEDE® supports (excluding ARKIMEDE® 10) and the entire HERCULES® range.

The use of anti-noise rubber strips, applied into the joist may help to reduce footfall noise (optional).

Accessory connectors allow linear, "T" and overlapping joints between multiple KERADECK® 20 joists.

The joists are made of aluminium, the adapter and cross spacers are made of PP (polypropylene), connectors of PA (polyamide) and the anti-noise rubber strip is made of thermoplastic rubber.



Code	Product	mm	Pack size	Pallet
TER09-2299S	01 KERADECK® 20 Aluminium Joist	2,000	1 pc.	200 pcs.
TER09-2299S/4AH	02 4-Way Adaptor for KERADECK® 20	-	30 pcs.	3,780 pcs.
TER09-2299/G	03 Anti-noise rubber strip	8.9mm x 100m (available per meter)	1 pc.	18 pcs.
TER09-2299/B	04 Linear Joist Connector	-	130 pcs.	18,720 pcs.
TER09-2299S/C	05 "T" Joist Connector	-	130 pcs.	18,720 pcs.
TER09-2299S/D	06 Overlap Mounting Joist Connector	-	200 pcs.	28,800 pcs.

KERADECK® 30

Decking Support System

for Dakota pedestals

PATENT
PENDING


KERADECK® 30 is an aluminium joist support system for our decking products.

The use of adaptors guarantees perfect fixing with ARKIMEDE® 35, 41, 60 and 115 supports. The use of anti-noise rubber strips, applied into the joist may help to reduce footfall noise (optional).

The connectors allow linear, T-shaped and overlapping junctions between several KERADECK® 30 joists.

The adaptors are made of PP (polypropylene), the joists of aluminium and the accessories are made of PA (polyamide).

This product allows the construction of a supporting structure for the laying of outdoor decking. It is recommended that ARKIMEDE® supports are placed every 50cm.



Code	Product	mm	Pack size	Pallet
TER09-2299	01 KERADECK® 30 Aluminium Joist	2,000	1 pc.	200 pcs.
TER09-2299/4AH	02 4-Way Adaptor for KERADECK® 30	-	30 pcs.	3,780 pcs.
TER09-2299/G	03 Anti-noise rubber strip	8.9mm x 100m (available per meter)	1 pc.	18 pcs.
TER09-2299/B	05 Linear Joist Connector	-	130 pcs.	18,720 pcs.
TER09-2299/C	06 "T" Joist Connector	-	130 pcs.	18,720 pcs.
TER09-2299/D	07 Overlap Mounting Joist Connector	-	200 pcs.	28,800 pcs.
TER09-2299/E	08 Corner Reinforcement*	-	200 pcs.	28,800 pcs.
TER09-2299/W	09 Windproof kit for KERADECK® 30	-	50 pcs.	7,200 pcs.
TER09-1151	10 2-Way Adaptor for KERADECK® 30	-	30 pcs.	3,780 pcs.
UKLV025	11 Screws for KERADECK® 30	-	10 pcs.	-
UKLV026	12 Nuts for KERADECK® 30	-	10 pcs.	-

DECKING SUPPORTS & OUTDOOR PRODUCTS

The choice of mounting and levelling systems for decks plays a crucial role in ensuring both functionality and aesthetics. The emergence of pedestal support systems has revolutionised the way we approach outdoor flooring and offers several benefits.

Versatility and Adaptability

Pedestal support systems offer unparalleled versatility, allowing for the installation of decks on a variety of surfaces. Whether you're dealing with uneven terrain or irregular surfaces, these systems can easily adapt to the environment, providing a level and stable foundation, whilst enabling architects and homeowners to create stunning outdoor spaces in locations that were once considered challenging.

Easy Installation and Maintenance

One of the standout advantages of pedestal support systems is their ease of installation. Traditional construction methods for levelling the ground often involve complex earth moving processes and heavy machinery. In contrast, pedestals can be quickly and easily adjusted to the required heights, simplifying the entire installation process. Moreover, maintenance becomes a breeze as access to utilities beneath the flooring is straightforward, making repairs or modifications simple and cost-effective.

Enhanced Drainage and Ventilation

Pedestal support systems promote optimal drainage and ventilation, preventing water accumulation and moisture-related issues. Conventional methods may struggle with proper water runoff, leading to potential damage to the structure over time. The open design of pedestal systems allows for efficient water drainage, reducing the risk of mould, rot, and other water-related issues, thus ensuring the longevity of your deck.

Environmentally Friendly

In an era where sustainability is paramount, pedestal support systems shine as an eco-friendly alternative. Recycled materials are used in the making of these systems and they are suitable for recycling again at end of life. Additionally, their installation requires fewer resources compared to traditional construction methods. This not only minimizes the environmental impact but also aligns with the growing trend of green and sustainable building practices.

Cost-Effective Solutions

A prime advantage of pedestal systems is the cost saving potential from eliminating much of the labour typically required by traditional construction methods. While initial material costs might seem comparable between traditional and pedestal-supported construction, the labour and long-term savings become evident. The simplified installation process and reduced maintenance requirements contribute to overall cost-effectiveness. Additionally, the adaptability of pedestal systems means that they can easily be reused in different or extended projects, further optimising the investment.



Decking

Pedestals

ARKIMEDE® fixed/self-levelling supports for fitting to our KERADECK® systems



ARKIMEDE® 18 FIXED HEAD
low profile - 18mm to 36mm (¾" to 1½")
Part no. TER09-1145/4A4M



ARKIMEDE® 24 SELF-LEVELLING HEAD
standard profile - 24mm to 42mm (1" to 1½")
Part no. TER09-1195/4A4M



ARKIMEDE® 35 FIXED HEAD
standard profile - 35mm to 60mm (1¾" to 2¾")
Part no. TER09-1143/4A4M



ARKIMEDE® 41 SELF-LEVELLING HEAD
standard profile - 41mm to 66mm (1½" to 2½")
Part no. TER09-1193/4A4M



ARKIMEDE® 60 FIXED HEAD
higher profile - 60mm to 115mm (2¾" to 4½")
Part no. TER09-1163/4A4M



ARKIMEDE® 66 SELF-LEVELLING HEAD
higher profile - 66mm to 121mm (2¾" to 4¾")
Part no. TER09-1196/4A4M



ARKIMEDE® 115 FIXED HEAD
extra high profile - 115mm to 220mm (4½" to 8¾")
Part no. TER09-1173/4A4M



EXTENDER RING
9mm / 1"
Part no. TER09-1145/P9
For ARKIMEDE® 18 and 24



RUBBER NOISE REDUCTION PAD
200 x 200 x 3mm
Part no. TER09-1144



HEIGHT EXTENDER
25mm / 1"
Part no. TER09-1143/P25



HEIGHT EXTENDER
50mm / 2"
Part no. TER09-1143/P50



HEIGHT EXTENDER
100mm / 4"
Part no. TER09-1143/P100

Variations of these pedestals are available for fitting conventional beam & joist systems

Decking

Pedestals

ARKIMEDE® fixed/self-levelling supports for WPC, wood beams and other joist systems



ARKIMEDE® 18 FIXED HEAD
low profile - 18mm to 36mm (¾" to 1⅞")
Part no. TER09-1145/1A



ARKIMEDE® 24 SELF-LEVELLING HEAD
standard profile - 24mm to 42mm (1" to 1⅞")
Part no. TER09-1195/1A



ARKIMEDE® 35 FIXED HEAD
standard profile - 35mm to 60mm (1⅜" to 2⅜")
Part no. TER09-1143/1A



ARKIMEDE® 41 SELF-LEVELLING HEAD
standard profile - 41mm to 66mm (1⅝" to 2⅝")
Part no. TER09-1193/1A



ARKIMEDE® 60 FIXED HEAD
higher profile - 60mm to 115mm (2⅜" to 4½")
Part no. TER09-1163/1A



ARKIMEDE® 66 SELF-LEVELLING HEAD
higher profile - 66mm to 121mm (2⅝" to 4¾")
Part no. TER09-1196/1A



ARKIMEDE® 115 FIXED HEAD
extra high profile - 115mm to 220mm (4½" to 8⅔")
Part no. TER09-1173/1A



EXTENDER RING
9mm / 1"
Part no. TER09-1145/P9
For ARKIMEDE® 18 and 24



RUBBER NOISE REDUCTION PAD
200 x 200 x 3mm
Part no. TER09-1144



HEIGHT EXTENDER
25mm / 1"
Part no. TER09-1143/P25



HEIGHT EXTENDER
50mm / 2"
Part no. TER09-1143/P50



HEIGHT EXTENDER
100mm / 4"
Part no. TER09-1143/P100

TAK LEVEL

Accessories


Levelling shims and wedges kit

Set of spacer shims and wedges (20 of each) for multiple applications in the construction industry. These are widely used during the installation of external raised decking. The combined use of 2 wedges guarantees precision adjustment of the joists and the use of the shims allows levelling of the surface over the under-structure of the decking itself. In addition these wedges and shims can be used during the installation and fixing of doors and windows frames and for many other situations when a fast and modular levelling solution is required.

The 45 x 170 x 26mm (1¾ x 6¾ x 1") wedges, designed for larger gaps and increments, can be split into 2 smaller parts with dimensions 90 x 45 x 26/12mm (3½ x 1¾ x 1 - ½") and 74 x 4m x 11/1mm (3 x 1¾ x ⅞ - ⅙"). The smaller wedges can similarly be split into two parts.

Each of the spacer shims can be split into 2 or 4 smaller pieces at the pre-cut lines and can then be interlocked and used in multiples or combinations to create whatever thickness is needed.

Made of PP (polypropylene).



01



45 x 170 x 26 mm
1¾ x 6¾ x 1"

02



45 x 90 x 15mm
1¾ x 3⅞ x ⅞"

03



45 x 90 x 2mm
1¾ x 3⅞ x ⅝"

04



45 x 90 x 3mm
1¾ x 3⅞ x ⅝"

05



45 x 90 x 5mm
1¾ x 3⅞ x ⅞"

Code	Product	mm	Bag	Pack size	Pallet
TER09-1155	TAK LEVEL Kit	-	-	1 box.	80 boxes
TER09-2250	Wedges 90mm	45 x 90 x 15-	40 pcs.	8 pcs.	45 boxes
TER09-2251	Wedges 170mm	45 x 170 x 15	20 pcs.	6 pcs.	36 boxes
TER09-2252	Shims 2mm	45 x 90 x 2	40 pcs.	28 pcs.	72 boxes
TER09-2253	Shims 3mm	45 x 90 x 3	40 pcs.	20 pcs.	72 boxes
TER09-2254	Shims 5mm	45 x 90 x 5	40 pcs.	20 pcs.	72 boxes

FENCING

FENCE LIGHT

Fencing

Available in 3 colours

FENCE LIGHT is a double-sided hollow profile with a good strength/weight/price ratio making it the most popular fence board in our range. It offers a choice of brushed smooth or wood pattern finishes.

Available in 3 colours: GOLD, BROWN and SMOKE.

Length: 2,000mm




98mm x 20mm


WEIGHT: 1.4kg/m



GOLD



BROWN



SMOKE

Code	Product	mm	Pack size	Pallet
LV758/PZ	FENCE LIGHT profile fence board - GOLD	98 x 20 x 2,000	1 pc.	210 pcs.
LV759/PZ	FENCE LIGHT profile fence board - BROWN	98 x 20 x 2,000	1 pc.	210 pcs.
LV760/PZ	FENCE LIGHT profile fence board - SMOKE	98 x 20 x 2,000	1 pc.	210 pcs.

The **FENCE LIGHT** range offers end caps to ensure a neat and secure finish to your fence.

Available in 3 colours: GOLD, BROWN and SMOKE.

Measurements: 98 x 20 x 3mm



GOLD

BROWN

SMOKE

Code	Product	mm	Pack size	Box
UKLV027	FENCE LIGHT end cap - GOLD	98 x 20 x 3	1 pc.	20 pcs.
UKLV028	FENCE LIGHT end cap - BROWN	98 x 20 x 3	1 pc.	20 pcs.
UKLV029	FENCE LIGHT end cap - SMOKE	98 x 20 x 3	1 pc.	20 pcs.

XTRA-PRO *AVAILABLE BY SPECIAL ORDER*

Fencing

Available in 4 colours

XTRA-PRO is a strong, double-sided solid profile fence board, suitable for commercial installations. It offers a choice of brushed smooth or wood pattern finishes. Designed for screw fitting.

Available in 4 colours: GOLD, BROWN, SMOKE and WHITE.

Length: 1,830mm

Also available in custom lengths of up to 4,200mm



78mm x 14mm

WEIGHT: 1.6kg/m




Code	Product	mm	Pack size	Pallet
UKLV013/1830	XTRA-PRO profile fence board - GOLD	78 x 14 x 1,830	1 pc.	210 pcs.
UKLV014/1830	XTRA-PRO profile fence board - BROWN	78 x 14 x 1,830	1 pc.	210 pcs.
UKLV015/1830	XTRA-PRO profile fence board - SMOKE	78 x 14 x 1,830	1 pc.	210 pcs.
UKLV016/1830	XTRA-PRO profile fence board - WHITE	78 x 14 x 1,830	1 pc.	210 pcs.



GOLD



BROWN



SMOKE



WHITE



GIGA SHIELD *AVAILABLE BY SPECIAL ORDER*

Fencing

Available in 4 colours

GIGA SHIELD is a new generation profile, fully encapsulated with a clear protective layer which prevents penetration of any dirt into the inner pores of the board. Particularly simple maintenance and long service life is ensured. The top surface encapsulation is made with virgin plastic.

Available in 4 colours: ICE WHITE, NATURE, TOBACCO and DARK GREY.

Length: 4,200mm



120mm x 20mm

WEIGHT: 7.14kg



ICE WHITE



NATURE



TOBACCO



DARK GREY

Code	Product	mm	Pack size	Pallet
UKLV031/4200	GIGA SHIELD profile fence board - ICE WHITE	120 x 20 x 4,200	1 pc.	210 pcs.
UKLV032/4200	GIGA SHIELD profile fence board - NATURE	120 x 20 x 4,200	1 pc.	210 pcs.
UKLV033/4200	GIGA SHIELD profile fence board - TOBACCO	120 x 20 x 4,200	1 pc.	210 pcs.
UKLV0314/4200	GIGA SHIELD profile fence board - DARK GREY	120 x 20 x 4,200	1 pc.	210 pcs.

GIGA SHIELD *AVAILABLE BY SPECIAL ORDER*


Fencing

Available in 4 colours

The **GIGA SHIELD** range offers end caps to ensure a neat and secure finish to your fence.

Available in 4 colours: ICE WHITE, NATURE, TOBACCO and DARK GREY.

Measurements: 120 x 20 x 20mm



ICE WHITE

NATURE

TOBACCO

DARK GREY

Code	Product	mm	Pack size	Box
UKLV035	GIGA SHIELD end cap - ICE WHITE	120 x 20 x 20	1 pc.	20 pcs.
UKLV036	GIGA SHIELD end cap - NATURE	120 x 20 x 20	1 pc.	20 pcs.
UKLV037	GIGA SHIELD end cap - TOBACCO	120 x 20 x 20	1 pc.	20 pcs.
UKLV038	GIGA SHIELD end cap - DARK GREY	120 x 20 x 20	1 pc.	20 pcs.

COMPOSITE BEAMS *AVAILABLE BY SPECIAL ORDER*

Fencing accessories

Available in 3 colours

A range of WPC beams is available for providing support frameworks for fencing or decking projects.

Available in 3 colours: BROWN, DARK BROWN and DARK GREY.

Length: 4,200mm



50mm x 30mm



BROWN
SPECIAL
ORDER



BROWN
SPECIAL
ORDER



DARK GREY
SPECIAL
ORDER

Code	Product	mm	Pack size	Pallet
UKLV039/4200	WPC beam - BROWN	50 x 30 x 4,200	1 pc.	210 pcs.
UKLV040/4200	WPC beam - DARK BROWN	50 x 30 x 4,200	1 pc.	210 pcs.
UKLV041/4200	WPC beam - DARK GREY	50 x 30 x 4,200	1 pc.	210 pcs.

MODULAR FENCING



Code	Product	mm	Pack size	Pallet
LV791/PZ	MODULAR fencing board - ICE WHITE	167 x 20 x 1,830	1 pc.	200 pcs.
LV792/PZ	MODULAR fencing board - NATURE	167 x 20 x 1,830	1 pc.	200 pcs.
LV793/PZ	MODULAR fencing board - TOBACCO	167 x 20 x 1,830	1 pc.	200 pcs.
LV794/PZ	MODULAR fencing board - GREY	167 x 20 x 1,830	1 pc.	200 pcs.
LV795/PZ	MODULAR fencing board - DARK GREY	167 x 20 x 1,830	1 pc.	200 pcs.

MODULAR FENCING


Fencing

Available in 5 colours

The versatility and durability of wood-plastic composite **MODULAR** fence boards make them an ideal choice for various outdoor space design and construction projects. The boards are fully encapsulated with a clear protective layer which prevents penetration of any dirt into inner pores. They are easy to install, maintain, and are aesthetically pleasing.

Available in 5 colours: ICE WHITE, NATURE, TOBACCO, GREY and DARK GREY.

Length: 1,830mm



WEIGHT PER PIECE: 3.8kg





All aluminium elements are finished in a grey colour

ALUMINIUM POST

Aluminum posts are a modern choice in fence construction, offering several advantages over traditional posts. Aluminum posts are lightweight and easy to install, reducing the time and effort required for installation, plus they will not rust or decay over time.



FITTING KIT

The set includes all necessary fasteners for securing posts, panels, and rails. One set required for each aluminium post.



ALUMINIUM BOTTOM RAIL

The bottom rail for the modular fence is an element used to start and to protect the bottom edge.



ALUMINIUM CHANNEL COVER

The front or side post cover provides a finished and unified appearance to the fence posts for unused slots.



ALUMINIUM TOP RAIL

The top rail for a modular fence is an element used to finish and protect the top edge.

Code	Product	mm	Pack size	Pallet
LV707/PZ	Aluminium post	70 x 70 x 1,850	10 pcs.	-
LV709/PZ	Fitting kit	-	10 pcs.	-
LV711/PZ	Aluminium bottom rail	30 x 20 x 1,820	10 pcs.	-
LV708/PZ	Aluminium channel cover	27 x 11 x 1,850	10 pcs.	-
LV710/PZ	Aluminium top rail	30 x 20 x 1,820	10 pcs.	-



CLADDING

AVAILABLE
BY SPECIAL
ORDER

NATURE *AVAILABLE BY SPECIAL ORDER* Cladding

Available in 3 colours

NATURE is a full profile cladding board with a good strength and weight ratio. It's surface is natural wood pattern with Nordic elegance.

Available in 3 colours: SIENNA, COCOA and MOON GREY.

Length: 4,200mm



150mm x 20mm

WEIGHT: 1.9kg/m



SIENNA
SPECIAL
ORDER



COCOA
SPECIAL
ORDER



MOON
GREY
SPECIAL
ORDER

Code	Product	mm	Pack size	Pallet
LV713/4200	NATURE profile cladding board - SIENNA	150 x 20 x 4,200	1 pc.	168 pcs.
LV714/4200	NATURE profile cladding board - COCOA	150 x 20 x 4,200	1 pc.	168 pcs.
LV715/4200	NATURE profile cladding board - MOON GREY	150 x 20 x 4,200	1 pc.	168 pcs.

Our cladding range conforms to all European safety standards

SUN BREAK (BRISE SOLEIL) *AVAILABLE BY SPECIAL ORDER*Cladding

Available in 3 colours

SUN BREAK (BRISE SOLEIL) is beam size hollow board with a modern look. The surface is brushed smooth.

Available in 3 colours: SIENNA, COCOA and SMOKE.

Length: 4,200mm



90mm x 40mm

WEIGHT: 1.9kg/m



Code	Product	mm	Pack size	Pallet
LV783/4200	SUN BREAK (BRISE SOLEIL) cladding board - SIENNA	90 x 40 x 4,200	1 pc.	120 pcs.
LV782/4200	SUN BREAK (BRISE SOLEIL) cladding board - COCOA	90 x 40 x 4,200	1 pc.	120 pcs.
LV784/4200	SUN BREAK (BRISE SOLEIL) cladding board - SMOKE	90 x 40 x 4,200	1 pc.	120 pcs.



RIVIERA

AVAILABLE BY SPECIAL ORDER


Cladding

Available in 3 colours

RIVIERA is a hollow profile cladding board, featuring an elegant brushed smooth surface. The unique design makes RIVIERA the ideal choice for cladding curved surfaces. When used with edgeboards, it can also be used to create features such as doors.

Available in 3 colours: SIENNA, COCOA and MOON GREY.

Length: 3,000mm



Code	Product	mm	Pack size	Pallet
UKLV022/3000	RIVIERA profile cladding board - SIENNA	75 x 15 x 3,000	1 pc.	120 pcs.
UKLV023/3000	RIVIERA profile cladding board - COCOA	75 x 15 x 3,000	1 pc.	120 pcs.
UKLV024/3000	RIVIERA profile cladding board - MOON GREY	75 x 15 x 3,000	1 pc.	120 pcs.



CORNER BOARD BASIC

AVAILABLE BY SPECIAL ORDER

Cladding accessories


CORNER BOARD BASIC is a WPC corner moulding with a brushed surface treatment designed for covering the corners of both decking and cladding.

Available in 4 colours: SIENNA, COCOA, SMOKE and MOON GREY.


Measurements: 40 x 40 x 4,200mm




SIENNA



COCOA



SMOKE



MOON GREY

Code	Product	mm	Pack size	Pallet
UKLV044	Corner board BASIC - SIENNA	40 x 40 x 4,200	1 pc.	100 pcs.
UKLV045	Corner board BASIC - COCOA	40 x 40 x 4,200	1 pc.	100 pcs.
UKLV046	Corner board BASIC - SMOKE	40 x 40 x 4,200	1 pc.	100 pcs.
UKLV047	Corner board BASIC - MOON GREY	40 x 40 x 4,200	1 pc.	100 pcs.

XTRA-PRO EDGEBOARDS

AVAILABLE BY SPECIAL ORDER

Cladding accessories

XTRA-PRO edgeboards have two flat sides designed to be used for dressing corners, edges and joints. Designed for screw fitting.

Available in 3 colours: SIENNA, COCOA and MOON GREY.

Measurements: 78 x 14 x 4,200mm



78mm x 14mm



SIENNA



COCOA



MOON GREY

Code	Product	mm	Pack size	Pallet
UKLV007/4200	XTRA-PRO edgeboard - SIENNA	150 x 20 x 4,200	1 pc.	100 pcs.
UKLV008/4200	XTRA-PRO edgeboard - COCOA	150 x 20 x 4,200	1 pc.	100 pcs.
UKLV009/4200	XTRA-PRO edgeboard - MOON GREY	150 x 20 x 4,200	1 pc.	100 pcs.

SOLID CORE EDGEBOARDS

Cladding accessories

SOLID CORE edgeboards have one flat edge designed to be used for dressing corners, edges and joints. The T-slot in the bottom of the board is designed for concealed fitting onto Dakota Living starter clips.

Available in 3 colours: SIENNA, COCOA and MOON GREY.

Measurements: 150 x 20 x 4,200mm



150mm x 20mm



SIENNA



COCOA



MOON GREY

Code	Product	mm	Pack size	Pallet
LV742/F4200	SOLID CORE edgeboard - SIENNA	150 x 20 x 4,200	1 pc.	100 pcs.
LV741/F4200	SOLID CORE edgeboard - COCOA	150 x 20 x 4,200	1 pc.	100 pcs.
LV743/F4200	SOLID CORE edgeboard - MOON GREY	150 x 20 x 4,200	1 pc.	100 pcs.



Gravel stabilisation grid


DAK-ROCK® is an HDPE or PP gravel and stabilisation geo-grid, resistant to frost. It guarantees a compact surface for both pedestrian and vehicular areas and provides perfect water drainage.

Thanks to its highly containing honeycomb structure for gravel and pebbles and to the layer of high-strength geotextile fabric, rainwater can be absorbed more evenly by the ground, ensuring uniform drainage management and a stable and safe surface for pedestrians and vehicles.

Materials - DAK-ROCK® structure is made of HDPE or PP and non-woven geotextile is made of PP.

DAK-ROCK® is used to stabilise gravel and pebbles for garden paths, pedestrian walkways, parking slots, terraces and various other areas for games, picnics, relaxation or recreational activities and staging.

NEW - Handy retail pack containing 3 folded sheets in a box, DAK-ROCK® COMPACT offers 1.8m² (19.3sq.ft.) coverage.



- Load class test according to EN ISO 844:
- Test on empty structure = 140 T/m² (28,674 lbs sq.ft)
 - Test on filled (gravel) structure = 400 T/m² (81,926 lbs sq.ft)

Code	Product	mm	Pack size	Pallet
GAR01-0300	DAK-ROCK® - Gravel Stabilisation Grid	1,123 x 795 x 30	1 pc.	38 pcs.
GAR01-0300H	DAK-ROCK® - Gravel Stabilisation Grid	1,123 x 795 x 30	1 pc.	80 pcs.
GAR01-0300H2	DAK-ROCK® - Gravel Stabilisation Grid - Folded	1,123 x 1,590 x 30	1 pc.	40 pcs.
GAR01-0400	DAK-ROCK® - PP Gravel Stabilisation Grid	1,123 x 795 x 30	1 pc.	38 pcs.
GAR01-0400H	DAK-ROCK® - PP Gravel Stabilisation Grid	1,123 x 795 x 30	1 pc.	80 pcs.
GAR01-0400H2	DAK-ROCK® - PP Gravel Stabilisation Grid	1,123 x 1,590 x 30	1 pc.	40 pcs.
GAR01-0600KH	DAK-ROCK® COMPACT PE-HD 3 pack Gravel Stabilisation Grid - Folded	600 x 1,000 x 30	1 box	44 pcs.

Ground paving grid

DAK-ROCK® HEAVY is a 500mm x 500mm x h.39mm (19⅓" x 19⅓" x h. 1½") ground reinforcement paving solution designed to improve natural water drainage and at the same time to prevent ground erosion. It is a perfect alternative to set bricks, flagstones, openwork paving slabs and different kinds of concrete based surfaces.

An innovative interlocking system enables the connection of the panels to create a continuous surface, which becomes

completely invisible once filled with aggregate or grass, preserving the natural character of the area.


Made of Polypropylene (PP).

It is used for the reinforcement and strengthening of grass layers destined for parking cars and/or recreational activities and/or staging.



The average values of the load class test according to EN ISO 844 are the following:

- Load at 3.8mm (⅛"): 49.49 kN (11,125 lbf)
- Max Load: 49,81 kN (11,198 lbf)
- Deformation at max load: 3.5mm (⅛")
- Stress: 76.97 N/mm² (11,163 lbs sq. in)
- Max load grid: 2,232 kN (501,773 lb/f)
- Load per sqm: 910 tonne (1,003 US tons)



Code	Product	mm	Pack size	Pallet
GAR01-0022N	DAK-ROCK® HEAVY - Ground Paving Grid Black	500 x 500 x 39	1 pc.	enquire
GAR01-0022GV	DAK-ROCK® HEAVY - Ground Paving Grid Green	500 x 500 x 39	1 pc.	enquire

For larger projects, DAK-ROCK® Heavy is also available in pallet quantities supplied pre-assembled in grids of 4 pieces, (1m²) for faster onsite installation. Please enquire for details.

GREEN PLUS

Accessories

Grass grating - green


GREEN PLUS is a green coloured grass grating tile for stabilising grassed areas to make them suitable for parking or other activities.

It consists of modular interlocking elements, available in 3 sizes.

Coloured caps that can be inserted into the cells are available for creating lines for defining roadways and parking spaces, or other areas.

Loading capacity > 300 tonnes/m² (30.72 US tons/sq.ft). Made of high density polyethylene (PE-HD).

It is used for the reinforcement of the grass in areas dedicated to parking spaces, recreational activities and staging.



Code	Product	mm	Pack size	Pallet
GAR01-0001/5	GREEN PLUS	400 x 400 x 50	1 pc.	510 pcs.
GAR01-0002/4	GREEN PLUS 2.4	400 x 800 x 40	1 pc.	156 pcs.
GAR01-0002/5	GREEN PLUS 2.5	400 x 800 x 50	1 pc.	132 pcs.
GAR01-0005	Yellow Cap	-	100 pcs.	-
GAR01-0006	White Cap	-	100 pcs.	-
GAR01-0007	Blue Cap	-	100 pcs.	-

GEOREEF®

Accessories

For outdoor use

This product is for outdoor use that allows flexible curved shapes for creating divisions between different external areas. The profiles are very easy to install and will withstand most weather conditions and physical stresses.

The installation is quick and easy and it does not require any particular or special tools. The profiles can be connected to each other by overlapping the ends and, once positioned according to the layout, can be fixed to the ground using the provided plastic spikes.

GEOREEF® provides an excellent alternative to heavier and less aesthetically pleasing concrete edges.


Effective length of the package kit: 3m (118"), complete with 12 plastic spikes.

GEOREEF® is available in two different heights: 45mm (1¾") and 60mm (2⅜"), both in black. Made of PP (polypropylene).

Used to delineate areas of separation between different external areas. It is the ideal solution for defining the edges of flowerbeds, to isolate grassy areas from intrusive gravel, or to define protective areas around trees and bushes.



Code	Product	mm	Pack size	Pallet
GAR03-0070	GEOREEF® - landscape profile	3,000 x 45	1 pc.	21 pcs.
GAR03-0071	GEOREEF® - landscape profile	3,000 x 60	1 pc.	21 pcs.



DAKOTA LIVING

Dakota Group Limited

Unit B, Wainstalls Business Park, Wainstalls, Halifax, West Yorkshire, HX2 7UR

+44 (0)1422 487273 sales@dakota.co.uk www.dakota.co.uk